2. Bakgrunn (data)

2.1. Latinsk navn (Latin name)

Microstylis monophyllos (L.) Lindley

2.2 Rødlistestatus (redlist satus)

(Critically endangered)

2.3 Utbredelse (spreading/place)

Microstylis monophyllos occurs in Northern, Central and Eastern Europe as far West as C. Norway and C. Switzerland and southwards to Northern Italy and Southern Russia.

2.4 Lokaliteter i Norge (locations in Norway)

2.4.1. Lokaliteter i Oslo (locations in Oslo)

3 known?

Location: 1. Mire SW from Blankvann (Karrusputten)

In this mire (Karrusputten,) after a very precise searching 3 stands with *Microstylis* has been found. The stands are situated in the same mire but about 100m apart from each other so, they will be describe separately.

Location: 1.1 Karrusputten, (East side of a mire, the same stand as in 2008)

Individuals: 10

Area: ca 50 m²

Environment (habitat): Eastern edge of a mire, rich fen with dominant *Carex lasiocarpa* and *Menyanthes trifoliata*. Site is on a ski trail, sometimes used in summer as a foot path. With other species: *Comarum palustre, Filipendula ulmaria, Potentlla erecta, Trihophorum alpinum, Eriophorum latifolium, Dactylorhiza incarnata, D. traunsteineri, Drosera rotundifolia, D. anglica*

Condition: 10 individuals have been gradually founded during 5 visits in that place. Their size is from 5-25cm. All plants were flowering.

Care:

GPS-koordinates: Map datum (Kartdatum): WGS 84; Position format (Posisjonsformat): UTM UPS) - **0592795**; **6655204** (Eastern side of a mire on a ski trail)

Date of watch: 14.06.; 27.06.; 2.07.; 10.07.; 13.07.2009

Owner:

Photos: 2703; 2769; 2801; 2844 – 2849; (R. Gramsz)

Observer: Arild Andresen, Roman Gramsz, Lars Ove Hansen, Tor Øystein Olsen, Joanna Potocka, Torbjørn Røberg..

Location: 1.2 Karrusputten, (Northern side of a mire, close to Blankvann)

Individuals: 12

Area: ca 50 m²

Environment (habitat): Northern edge of a mire, rich fen with domination of *Menyanthes trifoliata*. Site is on a ski trail just 5 m from the shore of Blankvann. With other species: Bistorta vivipara (Polygonum viviparum), Carex flava, Carex nigra, Carex panicea, Comarum palustre, Drepanocladus sp., Equisetum palustre, Eriophorum latifolium, Filipendula ulmaria, Geum rivale, Menyanthes trifoliata, Molinia caerulea, Pedicularis palustris, Pinguicula vulgaris, Potentilla erecta, Salix sp., Trichophorum caespitosum, Triglochin palustre, Trollius europaeus,

Condition: 12 individuals with size from 5 - 20cm. All of them were flowering.

Care:

GPS-koordinates: Map datum (Kartdatum): WGS 84; Position format (Posisjonsformat): UTM UPS) - **0592768**; **6655275** (Northern side of a mire on a ski trail, 5m from Blankvann)

Date of watch: 13.07.2009

Owner:

Photos: 2858 - 2862 (R. Gramsz)

Observer: Roman Gramsz, Joanna Potocka

Location: 1.3 Karrusputten, (Central part of a mire)

Individuals: 4

Area: ca 10 m²

Environment (habitat): Central part of a mire, rich fen with dominant *Carex lasiocarpa*. Site is along a foot path. With other species: *Molinia caerulea, Filipendula ulmaria, Potentilla*

erecta, Carex rostrata, Eriophorum latifolium, Dactylorhiza incarnata, D. traunsteineri, Drosera rotundifolia, Polygonum viviparum...

Condition: 4 individuals in that place. Their size is from 10 - 15cm. All plants were flowering.

Care:

GPS-koordinates: Map datum (Kartdatum): WGS 84; Position format (Posisjonsformat): UTM UPS) - **0592713**; **6655172** (Central part of a mire along a small foot path to Karrusputten)

Date of watch: 13.07.2009

Owner:

Photos: 2863; 2864 (R. Gramsz)

Observer: Roman Gramsz, Joanna Potocka

XXXXXX

We were looking for Microstylis monophyllos also in other mires and we did not find it!

The following mires were examined:

- Lokalitet 2. Holbekken, Oslo. Together with Aurtjernet surroundings
- **Lokalitet 3.** Lusetjern, Oslo. Together with whole mires complex beetwine Karrusputten and Setertjernet surroundings.
- Mires surrounded Motjernet (Finnerud)
- Mires (Lautås ?) South from Glåmene on the East side of a road Finnerud to Kikutstua